

## **Sungwook Yang, Ph.D.**

### **Principal Research Scientist**

Center for Intelligent & Interactive Robotics  
Artificial Intelligence & Robotics (AIR) Institute  
Korea Institute of Science and Technology (KIST)  
5, Hwarang-ro 14-gil, Seongbuk-gu, Seoul, 02792, Republic of Korea  
Tel: +82-2-958-5747, E-mail: swyang@kist.re.kr

### **RESEARCH INTERESTS**

- Novel Robotic Platforms for Biomedical Applications
- Surgical Robotics
- Robot Hand
- Visual Servoing

### **EDUCATION**

- Ph. D.** Robotics Institute, **Carnegie Mellon University**, Pittsburgh, U.S.A. **May 2015**  
-. Advisor: Prof. Cameron N. Riviere  
-. Dissertation: *Handheld Micromanipulator for Robot-Assisted Microsurgery*
- M.S.** Mechanical and Aerospace Engineering, **Seoul National University**, Seoul, Korea **Feb. 2006**  
-. Advisor: Prof. Heui Jae Pahk  
-. Thesis: *Study on Measurement of Thickness and Chromaticity for Transparent Thin Film*
- B.S.** Mechanical and Aerospace Engineering, **Seoul National University**, Seoul, Korea **Feb. 2004**  
-. An early gradation with cum laude

### **EMPLOYMENT**

- Principal Research Scientist** Center for Intelligent and Interactive Robotics, **Mar. 2022 ~ Present**  
AI-Robot Institute,  
Korea Institute of Science and Technology, Seoul, Korea.
- Senior Research Scientist** Center for Intelligent and Interactive Robotics, **Jan. 2019 ~ Feb. 2022**  
AI-Robot Institute,  
Korea Institute of Science and Technology, Seoul, Korea.
- Senior Research Scientist** Center for BioMicrosystem, **Mar. 2016 ~ Dec. 2018**  
Brain Science Institute,  
Korea Institute of Science and Technology, Seoul, Korea.
- Research Scientist** Korea Institute of Science and Technology, **Mar. 2006 ~ Feb. 2016**  
Seoul, Korea.
- Assistant Professor** HCI and Robotics, **Mar. 2016 ~ Feb. 2018**  
University of Science and Technology, Seoul, Korea.

**AWARDS AND HONORS**

<b>Best Paper Award</b> , Korea Society of Mechanical Engineers	<b>Apr. 2022</b>
<b>RED (Robot Engineering &amp; Design) Show</b> , Korea Robotics Society	<b>May. 2021</b>
<b>Best Paper Award</b> , Korea Society of Mechanical Engineers	<b>Apr. 2017</b>
<b>Best Paper Award</b> , IEEE/ASME Transactions on Mechatronics (TMECH)	<b>Jul. 2016</b>
<b>Outstanding Young Scientist Award</b> , Korea Robotics Society	<b>Oct. 2015</b>
<b>Best Application Paper Award</b> , IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS2014)	<b>Sep. 2014</b>
<b>Scholarship for Honor Graduate Student</b> , Kwanjeong Educational Foundation	<b>Aug. 2010 ~ May 2015</b>
<b>Best Paper Award</b> , Korea Society of Mechanical Engineers	<b>Nov. 2009</b>
<b>Best Paper Award</b> , Korea Society of Mechanical Engineers	<b>Nov. 2008</b>
<b>Best Research Team Award</b> , Korea Institute of Science and Technology	<b>Feb. 2008</b>

**ACTIVITIES**

<b>Academic Director</b>	Korea Society of Mechanical Engineers, Bio Engineering Division,	<b>2016 ~ Present</b>
<b>Associate Editor</b>	IEEE International Conference on Intelligent Robots and Systems,	<b>2019</b>
<b>Organizing Committee</b>	Korea Society of Mechanical Engineers Annual Conference,	<b>2019</b>

**SOCIETY MEMBERSHIPS**

<b>IEEE Robotics and Automation Society</b>	<b>2009 ~ Present</b>
<b>IEEE Engineering in Medicine and Biology Society</b>	<b>2008 ~ Present</b>
<b>The Korean Society of Mechanical Engineers</b>	<b>2008 ~ Present</b>

**SELECTED PUBLICATIONS (SINCE 2010)**

- E. Kim, S. Kim, M. Choi, T. Seo, and **S. Yang**, “Honeycomb artifact removal using convolutional neural network for fiber bundle imaging,” *Sensors*, vol.23, no. 1, pp. 333, 2023.
- G. Hwang, J. Lee, and **S. Yang**, “Visual servo control of COVID-19 nasopharyngeal swab sampling robot,” in *Proc. IEEE/RSJ Int. Conf. Intell. Robot. Syst. (IROS)*, 2022, pp. 1855-1861.
- J. Lee and **S. Yang**, “Fiber-bragg-grating based force sensor with dual structure for minimally invasive surgery” in *Proc. IEEE Int. Conf. Biomed. Robot.*, (BioRob), 2022, pp. 1-6.
- J. Lee, J. Kim, S. Park, D. Hwang, and **S. Yang**, “Soft robotic palm with tunable stiffness using dual-layered particle jamming mechanism,” *IEEE /ASME Trans. Mechatronics*, vol.26, no. 4, pp. 1820-1827, 2021.
- E. Kim, I. Choi, and **S. Yang**, “Design and control of fully handheld microsurgical robot for active tremor cancellation,” in *Proc. IEEE Int. Conf. Robot. Autom. (ICRA)*, 2021, pp. 1228-1229.
- D. Yoon, E. Kim, I. Choi, S. W. Han, **S. Yang** (Co-Corr.), “Prediction of voluntary motion using decomposition-and-ensemble framework with deep neural networks,” *IEEE Access*, vol.8, pp. 201555-201565, 2020.
- M. Jang, J. S. Kim, S. H. Um, **S. Yang** (Co-Corr.), J. Kim, “Ultra-high curvature sensors for multi-bend structures using fiber Bragg gratings”, *Opt. Express*, vol. 27, no. 3, pp. 2074-2084, 2019.
- **S. Yang**, J. N. Martel, L. A. Lobes Jr., and C. N. Riviere, “Techniques for robot-aided intraocular surgery using monocular vision”, *Int. J. Robot. Res.*, vol. 37, no. 8, pp. 931-952, 2018.
- D. Braun, **S. Yang**, J. N. Martel, C. N. Riviere, and B. C. Becker, “EyeSLAM: Real-time simultaneous localization and mapping of retinal vessels during intraocular microsurgery,” *Int. J. Med. Robot. Comput. Assist. Surg.*, vol. 14, no. 1, e1848, 2018.
- S. Mukherjee, **S. Yang**, R. A. MacLachlan, L. A. Lobes Jr., J. N. Martel, and C. N. Riviere, “Toward monocular camera-guided retinal vein cannulation with an actively stabilized handheld robot,” in *Proc. IEEE Int. Conf. Robot. Autom. (ICRA)*, 2017, pp. 2951-2956.
- **S. Yang**, R. A. MacLachlan, J. N. Martel, L. A. Lobes Jr., and C. N. Riviere, “Comparative evaluation of handheld robot-aided intraocular laser surgery,” *IEEE Trans. Robot.*, vol. 32, no. 1, pp. 246-251, 2016.
- T. Wells, **S. Yang**, R. A. MacLachlan, L. A. Louis Jr., J. N. Martel, and C. N. Riviere, “Hybrid position/force control of an active handheld micromanipulator for membrane peeling,” *Int. J. Med. Robot. Comput. Assist. Surg.*, vol. 12 no. 1, pp. 85-95, 2016.
- **S. Yang**, L. A. Lobes Jr., J. N. Martel, and C. N. Riviere, “Handheld automated microsurgical instrumentation for intraocular laser surgery,” *Lasers Surg. Med.*, vol. 47, no. 8, pp. 658-668, 2015.
- **S. Yang**, R. A. MacLachlan, and C. N. Riviere, “Manipulator design and operation for a six-degree-of-freedom handheld tremor-canceling microsurgical instrument,” *IEEE /ASME Trans. Mechatronics*, vol. 20, no. 2, pp. 761–772, 2015. (**Awarded for TMECH 2016 Best Paper**)
- S. Yang, R. A. MacLachlan, and C. N. Riviere, “Toward automated intraocular laser surgery using a handheld micromanipulator,” in *Proc. IEEE/RSJ Int. Conf. Intell. Robot. Syst. (IROS)*, 2014, pp. 1302–1307. (**Awarded for IROS2014 Best Application Paper**)
- **S. Yang**, R. A. MacLachlan, and C. N. Riviere, “Design and analysis of 6 DOF handheld micromanipulator,” in *Proc. IEEE Int. Conf. Robot. Autom. (ICRA)*, 2012, pp. 1946–1951.
- **S. Yang**, S. Lee, K. Park, J. Kim, Y. Huh, E. S. Yoon, and H. S. Shin, “Feedback controlled piezo-motor microdrive for accurate electrode positioning in chronic single unit recording in behaving mice,” *J. Neurosci. Methods*, vol. 195, no. 2, pp. 117–127, 2011.
- H. M. Kim, S. Yang (**co-first author**), J. Kim, S. Park, J. H. Cho, J. Y. Park, T. S. Kim, E. S. Yoon, S. Y. Song, and S. Bang, “Active locomotion of a paddling-based capsule endoscope in an in vitro and in vivo experiment,” *Gastrointest. Endosc.*, vol. 72, no. 2, pp. 381–387, 2010. (**Cover article**)
- **S. Yang**, S. Lee, K. Park, J. Kim, J. Cho, H. S. Shin, and E. S. Yoon, “Highly-accurate, implantable micromanipulator for single neuron recordings,” in *Proc. IEEE Int. Conf. Robot. Autom. (ICRA)*, 2010, pp. 5070-5075.

**PATENTS**

- **S. Yang**, G. Hwang and J. Lee, "Method and apparatus for collecting specimen using vision-based control," KR10-2022-0190170 (application), PCT.
- **S. Yang** and E. Kim, "Method and apparatus for removing honeycomb artifacts from optical fiber bundle images based on artificial intelligence," **KR10-2553001 (grant)**, US17/742027 (application)
- M. Choi, S. Kim, **S. Yang**, and K. Chung, "Patterned photostimulation device and method," KR10-2021-0130104 (application), PCT/KR2022/00829
- **S. Yang**, E. Kim, and I. Choi, "Handheld microsurgical robot," **KR10-2537300 (grant)**, US17/633144 (application), PCT/KR2021-01459
- **S. Yang**, J. Lee, J. Kim, D. Hwang, and Y. S. Ihn, "Robot palm," **KR10-239609 (grant)**, US17/389086 (application)
- D. Hwang, S. Park, N. Jang, Y. S. Ihn, **S. Yang**, J. Jeong, S. Yim, and S. -R. Oh, "Tele-operated forceps-driver variable stiffness master device," **KR10-2321778 (grant)**, US17/029286 (application)
- D. Hwang, S. Park, N. Jang, Y. S. Ihn, J. Jeong, K. Kim, S. -R. Oh, **S. Yang**, and S. Yim, "Forceps Driver Apparatus," **KR10-2309135 (grant)**, US17/006446 (application)
- D. Hwang, N. Jang, Y. S. Ihn, **S. Yang**, J. Jeong, S. Yim, K. Kim, and S. -R. Oh, "Peripheral Nerve Gripping Apparatus," **KR10-2174354 (grant)**
- **S. Yang**, E. S. Yoon, R. Hoon, and H. Im, "Supporting structure applying gravity compensation mechanism and impact control system having the supporting structure," **KR10-1991414 (grant)**, **US11395605 (grant)**
- J. Kim, **S. Yang**, M. S. Jang, J. S. Kim, K. Kang, and B. J. You, "FBG-based torsion sensor device," **KR10-2136625 (grant)**, PCT/KR/2019008493, EU19834451.7 (application), **US11486777 (grant)**, CH201980056511.6 (application), JP2021-500835 (application)
- **S. Yang**, E. S. Yoon, R. Hoon, and H. Im, "Quantitative impact control and measurement system," **KR10-2059119 (grant)**, **US11054323 (grant)**
- J. S. Kim, H. J. Shin, B. J. You, **S. Yang**, "Motion capture system using a FBG sensor," **KR10-1862131 (grant)**, **US10524701 (grant)**, **US11129553 (grant)**
- E. S. Yoon, **S. Yang**, J. Kim, D. M. Rho, J. Cho, and H.S. Shin, "Multi-selective micro manipulator," **KR10-1091610 (grant)**, **US8707809 (grant)**, **EP2493665 (grant)**
- E. S. Yoon, **S. Yang**, J. Kim, D. M. Rho, K. Park, S. Lee, J. Cho, and H.S. Shin, "Micro manipulator for electrode movement in neural signal recording," **KR10-1017908 (grant)**, **US8435250 (grant)**
- S. H. Park, J. Kim, J. Hong, **S. Yang**, H. S. Shin, D. W. Lee, S. C. Lee, and H. S. Kim, "Polymer linear actuator for micro electro mechanical system and micro manipulator for measurement device of cranial nerve signal using the same," **KR10-0767723 (grant)**, **US7917200 (grant)**, **US8774910 (grant)**, **EP1840080 (grant)**
- E. S. Yoon, **S. Yang**, J. Kim, K. Na, and D. M. Rho, "Bidirectional moving micro-robot system," **KR10-1135597 (grant)**, **US8322469 (grant)**, **EP2542389 (grant)**
- E. S. Yoon, **S. Yang**, J. Kim, K. Na, D. M. Rho, and S. S. Lee, "Capsule type micro-robot bidirectional moving system," **KR10-1074511 (grant)**, **EP2498664 (grant)**
- E. S. Yoon, J. Kim, **S. Yang**, K. Na, and S. Park, "Steering module and robot system using the same," **KR10-1012034 (grant)**
- E. S. Yoon, **S. Yang**, J. Kim, K. Na, D. M. Rho, D. E. Kim, and Y. T. Kim, "End structure for minimizing tissue damage by contacting internal organs," **KR10-1070275 (grant)**
- E. S. Yoon, J. Kim, **S. Yang**, K. Na, K. Y. Suh, and S. H. Lee, "Polymeric microstructure and manufacturing method useful for a foot of in-vivo moving robot," **KR 10-0997650 (grant)**
- E. S. Yoon, J. Kim, **S. Yang**, D. E. Kim, and Y. T. Kim, "Multi-fiber frictional surface mechanism for the moving system inside living organism," **KR 10-087391 (grant)**

## PUBLICATIONS

## • Journals

- [1] H. Yoon, K. Lee, H. Shin, S. Jeong, Y. Lee, **S. Yang**, and S. Lee, "In Situ Co-transformation of Reduced Graphene Oxide Embedded in Laser-Induced Graphene and Full-Range On-Body Strain Sensor," *Advanced Functional Materials*, 2300322, 2023.
- [2] S. Jeong, **S. Yang**, Y. Lee, and S. Lee, "Laser-induced graphene incorporated with silver nanoparticles applied for heavy metal multidetectio," *Journal of Materials Chemistry A*, vol. 11, no.25, pp. 13409-13418, 2023.
- [3] E. Kim, S. Kim, M. Choi, T. Seo, and **S. Yang**, "Honeycomb Artifact Removal Using Convolutional Neural Network for Fiber Bundle Imaging," *Sensors*, vol.23, no. 1, pp. 333, 2023.
- [4] M. W. Lee, N. Jang, N. Choi, **S. Yang**, J. Jeong, H. S. Nam, S.R. Oh, K. Kim, and D. Hwang, "In Vivo Cellular-Level 3D Imaging of Peripheral Nerves Using a Dual-Focusing Technique for Intra-Neural Interface Implantation," *Advanced Science*, vol. 9, no. 3, pp. 2102876, 2022.
- [5] J. Lee, J. Kim, S. Park, D. Hwang, and **S. Yang**, "Soft robotic palm with tunable stiffness using dual-layered particle jamming mechanism," *IEEE /ASME Trans. Mechatronics*, vol.26, no. 4, pp. 1820-1827, 2021.
- [6] D. Yoon, E. Kim, I. Choi, S. W. Han, **S. Yang**, "Prediction of voluntary motion using decomposition-and-ensemble framework with deep neural networks," *IEEE Access*, vol.8, pp. 201555-201565, 2020.
- [7] N. Jang, Y. S. Ihn, N. Choi, G. Gu, J. Jeong, **S. Yang**, S. Yim, K. Kim, S. -R. Oh, and D. Hwang, "Compact and lightweight end-effectors to drive hand-operated surgical instruments for robot-assisted microsurgery," *IEEE /ASME Trans. Mechatronics*, vol. 25, no. 4, pp. 1933-1943, 2020.
- [8] S. Park, N. Jang, Y. S. Ihn, **S. Yang**, J. Jeong, S. Yim, S. -R. Oh, K. Kim, D. Hwang, "A tele-operated microsurgical forceps-driver with a variable stiffness haptic feedback master device," *IEEE Robotics and Automation Letters*, vol. 5, no. 2, pp. 1946-1953, 2020.
- [9] P. Pendyala, H. N. Kim, H. S. Grewal, U. Chae, **S. Yang**, I. -J. Cho, S. Song, E. -S. Yoon, "Internal-flow-mediated, tunable one-dimensional cassie-to-wenzel wetting transition on superhydrophobic microcavity surfaces during evaporation," *Nanoscale Microscale Thermophys. Eng.*, vol. 23, no. 4, pp. 275-288, 2019.
- [10] M. Jang, J. S. Kim, S. H. Um, **S. Yang (Co-Corr.)**, J. Kim, "Ultra-high curvature sensors for multi-bend structures using fiber Bragg gratings", *Opt. Express*, vol. 27, no. 3, pp. 2074-2084, 2019.
- [11] **S. Yang**, J. N. Martel, L. A. Lobes Jr., and C. N. Riviere, "Techniques for robot-aided intraocular surgery using monocular vision", *Int. J. Robot. Res.*, vol. 37, no. 8, pp. 931-952, 2018.
- [12] D. Braun, **S. Yang**, J. N. Martel, C. N. Riviere, and B. C. Becker, "EyeSLAM: Real-time simultaneous localization and mapping of retinal vessels during intraocular microsurgery," *Int. J. Med. Robot. Comput. Assist. Surg.*, vol. 14, no. 1, e1848, 2018.
- [13] **S. Yang**, R. A. MacLachlan, J. N. Martel, L. A. Lobes Jr., and C. N. Riviere, "Comparative evaluation of handheld robot-aided intraocular laser surgery," *IEEE Trans. Robot.*, vol. 32, no. 1, pp. 246-251, 2016.
- [14] T. Wells, **S. Yang**, R. A. MacLachlan, L. A. Louis Jr., J. N. Martel, and C. N. Riviere, "Hybrid position/force control of an active handheld micromanipulator for membrane peeling," *Int. J. Med. Robot. Comput. Assist. Surg.*, vol. 12 no. 1, pp. 85-95, 2016.
- [15] **S. Yang**, L. A. Lobes Jr., J. N. Martel, and C. N. Riviere, "Handheld automated microsurgical instrumentation for intraocular laser surgery," *Lasers Surg. Med.*, vol. 47, no. 8, pp. 658-668, 2015.
- [16] **S. Yang**, R. A. MacLachlan, and C. N. Riviere, "Manipulator design and operation for a six-degree-of-freedom handheld tremor-canceling microsurgical instrument," *IEEE /ASME Trans. Mechatronics*, vol. 20, no. 2, pp. 761-772, 2015. (Best Paper Award)
- [17] Y. T. Kim, D. E. Kim, **S. Yang**, and E. S. Yoon, "Design of endoscopic micro-robotic end effectors: safety and performance evaluation based on physical intestinal tissue damage characteristics," *Biomed. Microdevices*, vol. 16, no. 3, pp. 397-413, 2014.
- [18] **S. Yang**, S. Lee, K. Park, J. Kim, Y. Huh, E. S. Yoon, and H. S. Shin, "Feedback controlled piezo-motor microdrive for accurate electrode positioning in chronic single unit recording in behaving mice," *J. Neurosci. Methods*, vol. 195, no. 2, pp. 117-127, 2011.
- [19] D. C. Pham, K. Na, S. Piao, **S. Yang**, J. Kim, and E. S. Yoon, "Hydrophobicity and micro-/nanotribological properties of polymeric nanolines," *Surf. Eng.*, vol. 27, no. 4, pp. 268-293, 2011.
- [20] H. M. Kim, **S. Yang (co-first author)**, J. Kim, S. Park, J. H. Cho, J. Y. Park, T. S. Kim, E. S. Yoon, S. Y. Song, and S. Bang, "Active locomotion of a paddling-based capsule endoscope in an in vitro and in vivo experiment," *Gastrointest. Endosc.*, vol. 72, no. 2, pp. 381-387, 2010. (Cover article)

- [21] S. H. Lee, Y. Tae. Kim, **S. Yang**, E. S. Yoon, D. E. Kim, and K. Y. Suh, “An optimal micropatterned end-effector for enhancing frictional force on large intestinal surface, *ACS Appl. Mater. Inter.*, vol. 2, no. 5, pp. 1308–1316, 2010.
- [22] T. H. Nguyen, S. M. Lee, K. Na, **S. Yang**, J. Kim, and E. S. Yoon, “An improved measurement of dsDNA elasticity using AFM, *Nanotechnology*, vol. 21, pp. 075101-1–075101-7, 2010.
- [23] D. C. Pham, K. Na, **S. Yang**, J. Kim, E. S. Yoon, “Nanotribological properties of silicon nano-pillars coated by a Z-DOL lubricating film,” *J. Mech. Sci. Technol.*, vol. 24, pp. 59–65, 2010.
- [24] **S. Yang**, K. Park, S. S. Lee, K. Na, J. Kim, J. Choi, S. H. Park, J. Park, and E. S. Yoon, “Locomotive microrobot for capsule endoscopes,” *J. Korea Robot. Soc.*, vol. 4, no. 1, pp. 62–67, 2009.
- [25] D. C. Pham, K. Na, **S. Yang**, J. Kim, E. S. Yoon, “Microtribological properties of topographically-modified polymeric surfaces with different pitches, *J. Korean Phys. Soc.*, 55(4): 1416–1424, 2009.
- [26] R. A. Singh, D. C. Pham, J. Kim, **S. Yang**, and E. S. Yoon, “Bio-inspired dual surface modification to improve tribological properties at small-scale,” *Appl. Surf. Sci.*, vol. 255, pp. 4821–4828, 2009.
- [27] J. Kim, J. Park, K. Na, **S. Yang**, J. Baek, E. S. Yoon, S. Choi, S. Lee, K. Chun, J. Park, and S. Park, “Quantitative evaluation of cardiomyocyte contractility in a 3D microenvironment,” *J. Biomech.*, vol. 41, pp. 2396–2401, 2008.
- [28] R. A. Singh, J. Kim, **S. Yang**, J. E. Oh, and E. S. Yoon, “Tribological properties of trichlorosilane-based one- and two-component self-assembled monolayers,” *Wear*, vol. 265, pp. 42-48, 2008.
- [29] J. Kim, **S. Yang**, E. S. Yoon, “Measurement of mechanical properties of cardiomyocytes using microfabricated structures,” *J. Korean Soc. Precis. Eng.*, vol. 25, no. 2, pp. 15–22, 2008.
- [30] J. Kim, J. Park, **S. Yang**, J. Baek, B. Kim, S. H. Lee, E. S. Yoon, K. Chun, and S. Park, “Establishment of a fabrication method for a long-term actuated hybrid cell robot,” *Lab Chip*, vol. 7, pp. 1504–1508, 2007.
- [31] R. A. Singh, H. J. Kim, J. Kim, **S. Yang**, H. E. Jeong, K. Y. Suh, and E. S. Yoon, “A biomimetic approach for effective reduction in micro-scale friction by direct replication of topography of natural water-repellent surfaces,” *J. Mech. Sci. Technol.*, vol. 21, no. 4, pp. 624–629, 2007.

## • Presentations and Conference Proceeding

### - International

- [1] G. Hwang, J. Lee, and **S. Yang**, “Visual servo control of COVID-19 nasopharyngeal swab sampling robot,” in *Proc. IEEE/RSJ Int. Conf. Intell. Robot. Syst. (IROS)*, 2022, pp. 1855-1861.
- [2] J. Lee and **S. Yang**, “Fiber-bragg-grating based force sensor with dual structure for minimally invasive surgery” in *Proc. IEEE Int. Conf. Biomed. Robot., (BioRob)*, 2022, pp. 1-6.
- [3] I. Choi, E. Kim, M.-T. Lim, and **S. Yang**, “Contact force control during soft tissue interaction using handheld robot” in *Proc. Int. Conf. Ubiquitous Robot., (UR)*, 2022.
- [4] J. Lee and **S. Yang**, “A miniature 3-axis force sensor based on fiber bragg gratings for robotic scanning of probe-based confocal laser endomicroscopy” in *Proc. Int. Conf. Ubiquitous Robot., (UR)*, 2022.
- [5] C. Park, I. Choi, J. Roh, S. Y. Lim, Yim, S.-H. Kim, J. Lee, and **S. Yang**, “Evaluation of applied force during nasopharyngeal swab sampling using handheld sensorized instrument,” in *Proc. 43rd Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. (EMBC)*, 2021, pp. 2207-2210.
- [6] E. Kim, I. Choi, and **S. Yang**, “Design and control of fully handheld microsurgical robot for active tremor cancellation,” in *Proc. IEEE Int. Conf. Robot. Autom. (ICRA)*, 2021, pp. 1228-1229.
- [7] S. Yim, J. Jeong, Y. Ihn, D. Hwang, and **S. Yang**, S. -R. Oh, K. Kim, “One-step Implantation of a 3D Neural Microelectrode Array,” in *Proc. 42nd Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. (EMBC)*, 2020, pp. 3379-3383
- [8] J. Lee, W. Hand, E. Kim, I. Choi, and **S. Yang**, “A stiffness-controlled robotic palm based on a granular jamming mechanism” in *Proc. Int. Conf. Ubiquitous Robot., (UR)*, 2020, pp. 593-596
- [9] E. Kim, N. Choi, D. Hwang, Y. S. Ihn, S. -R. Oh, and **S. Yang**, “Towards active stabilization of probe-based confocal laser, in *Proc. IEEE/RSJ Int. Conf. Intell. Robot. Syst. (IROS)*, 2019.
- [10] S. Park, N. Jang, J. Jeong, Y. S. Ihn, S. Yim, **S. Yang**, K. Kim, S. R. Oh., D. Hwang, “Development of a surgical-forceps driver with an embedded high-precision tiny force sensor module,” in *Proc. IEEE Int. Conf. Bionic Syst. (CBS)*, 2019, pp. 221-226.
- [11] N. Jang, Y. S. Ihn, J. Jeong, **S. Yang**, S. Yim, S.-R. Oh, K. Kim, and D. Hwang, “A miniature suction-gripper with passive and active microneedle,” in *Proc. IEEE Int. Conf. Robot. Autom. (ICRA)*, 2019, pp. 9202-2958.
- [12] M. Jang, J. S. Kim, K. Kang, S. H. UM, **S. Yang**, and J. Kim, “Development of Wearable Motion Capture System Using Fiber Bragg Grating Sensors for Measuring Arm Motion” in *Proc. Int. Conf. IEEE Virt. Real. 3D User Interf. (VR)*, 2019, pp. 994-995.

- [13] M. Jang, J. S. Kim, K. Jang, J. Kim, and **S. Yang**, "Towards Finger Motion Capture System Using FBG Sensors," in *Proc. 40th Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. (EMBC)*, 2018, pp. 3734-373.
- [14] S. Mukherjee, **S. Yang**, R. A. MacLachlan, L. A. Lobes Jr., J. N. Martel, and C. N. Riviere, "Toward monocular camera-guided retinal vein cannulation with an actively stabilized handheld robot," in *Proc. IEEE Int. Conf. Robot. Autom. (ICRA)*, 2017, pp. 2951-2956.
- [15] M. Jang, O. Kim, **S. Yang**, and J. Kim, "High bending curvature withstanding one dimensional angle sensor with fiber Bragg gratings," in *Proc. IEEE Int. Conf. Optic. Fiber Sensor.*, 2017. pp. 1032397-1-4.
- [16] **S. Yang**, R. A. MacLachlan, and C. N. Riviere, "Toward automated intraocular laser surgery using a handheld micromanipulator," in *Proc. IEEE/RSJ Int. Conf. Intell. Robot. Syst. (IROS)*, 2014, pp. 1302-1307. (**Best Application Paper Award**)
- [17] T. S. Wells, **S. Yang**, R. A. MacLachlan, J. T. Handa, P. Gehlbach, and C. N. Riviere, "Comparison of baseline tremor under various microsurgical conditions," in *Proc. IEEE Int. Conf. Syst. Man Cybern. (SMC)*, 2013, pp. 1482-1487.
- [18] **S. Yang**, T. S. Wells, R. A. MacLachlan, and C. N. Riviere, "Performance of a 6-degree-of-freedom active microsurgical manipulator in handheld tasks," in *Proc. 35th Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. (EMBC)*, 2013, pp. 5670-5673.
- [19] **S. Yang**, M. Balicki, T. S. Wells, R. A. MacLachlan, X. Liu, J. U. Kang, J. T. Handa, R. H. Taylor, C. N. Riviere, "Improvement of optical coherence tomography using active handheld micromanipulator in vitreoretinal surgery," in *Proc. 35th Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. (EMBC)*, 2013, pp. 5674-5677.
- [20] **S. Yang**, R. A. MacLachlan, and C. N. Riviere, "Performance of a six-axis handheld microsurgical robot with ultrasonic linear motors," in *ASME 5th Annu. Dyn. Syst. Control Conf. (DSCC)*, 2012, pp. 395-402.
- [21] **S. Yang**, M. Balicki, R. A. MacLachlan, X. L. Liu, J. U. Kang, R. H. Taylor, and C. N. Riviere, "Optical coherence tomography scanning with a handheld vitreoretinal micromanipulator," in *Proc. 34th Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. (EMBC)*, 2012, pp. 948-951.
- [22] G. M. Grande, A. J. Knisely, B. C. Becker, **S. Yang**, B. E. Hirsch, and C. N. Riviere, "Handheld micromanipulator for robot-assisted stapes footplate surgery," in *Proc. 34th Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. (EMBC)*, 2012, pp. 1422-1425.
- [23] B. C. Becker, **S. Yang**, R. A. MacLachlan, and C. N. Riviere, "Towards vision-based control of a handheld micromanipulator for retinal cannulation in an eyeball phantom," in *Proc. Int. IEEE Conf. Biomed. Robot. Biomech. (BioRob)*, 2012, pp. 44-49.
- [24] **S. Yang**, R. A. MacLachlan, and C. N. Riviere, "Design and analysis of 6 DOF handheld micromanipulator," in *Proc. IEEE Int. Conf. Robot. Autom. (ICRA)*, 2012, pp. 1946-1951.
- [25] G. M. Grande, A. J. Knisely, B. C. Becker, **S. Yang**, B. E. Hirsch, and C. N. Riviere, "Toward robot-assisted stapes fenestration with a handheld micromanipulator," in *Proc. IEEE Annu. Northeast Bioeng. Conf. (NEBEC)*, 2012, pp. 141-142.
- [26] **S. Yang**, K. Park, J. Kim, T. Kim, I. J. Cho, and E. S. Yoon, "Autonomous locomotion of capsule endoscope in gastrointestinal tract," in *Proc. 33rd Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. (EMBC)*, 2011, pp. 6659-6663.
- [27] **S. Yang**, S. Lee, K. Park, J. Kim, J. Cho, H. S. Shin, and E. S. Yoon, "Highly-accurate, implantable micromanipulator for single neuron recordings," in *Proc. IEEE Int. Conf. Robot. Autom. (ICRA)*, 2010, pp. 5070-5075.
- [28] **S. Yang**, J. Kim, S. Lee, J. Cho, H. S. Shin, and E. S. Yoon, "Precision automatic microdrive array for chronic single unit recordings in freely behaving mice," *the Society for Neuroscience's 39th annual meeting (SfN)*, 2009.
- [29] K. Park, **S. Yang**, J. Kim, T. Kim, and E. S. Yoon, "Improvement of locomotive performance of capsular microrobot moving in GI tract using position based feedback control," in *Proc. 31st Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. (EMBC)*, 2009. PP. 6076-6079.
- [30] H. Bae., **S. Yang**, K. Na, E. S. Yoon, and J. Kim, "Randomized cell modeling for calculating the contractile force of cardiomyocyte," *the 24th International Technical Conference on Circuits/Systems, Computers and Communications*, 2009.
- [31] P. D. Cuong, R. A. Singh, K. Na, **S. Yang**, and E. S. Yoon, "Nature-inspired tribological surfaces for nano/micro-scale applications," *International Symposium on Nature Inspired Technology*, 2009.
- [32] P. D. Cuong, R. A. Singh, K. Na, **S. Yang**, and E. S. Yoon, "Topographically-chemically modified silicon surfaces as tribological candidates for miniaturized (MEMS) devices," *KSME-JSME Joint Int'l Conference on Manufacturing, Machine Design and Tribology*, 2009.
- [33] K. Na, R. A. Singh, P. D. Cuong, **S. Yang**, and E. S. Yoon, "Adhesion and friction forces on silicon wafers with dual surface modifications at nano-scale," *Society of Tribologists and Lubrication Engineers 64th Annual Meeting and Exhibition*, 2009.
- [34] P. D. Cuong, R. A. Singh, K. Na, **S. Yang**, and E. S. Yoon, "Nanotribological properties of topographically-chemically modified silicon surfaces," *International Conference on Metallurgical Coating and Thin Films*, 2009.

- [35] **S. Yang**, S. Lee, K. Park, H. Jeon, Y. Huh, J. Cho, H. S. Shin, and E. S. Yoon, "Piezo motor based microdrive for neural signal recording in freely moving mice," *the Society for Neuroscience's 38th annual meeting (SfN)*, 2008.
- [36] **S. Yang**, K. Park, S. S. Lee, K. Na, J. Kim, J. Choi, S. Park, J. Park, and Eui-Sung Yoon, "Locomotive microrobot for capsule endoscopes," *The 5th International Conference on Ubiquitous Robots and Ambient Intelligence*, 2008.
- [37] P. D. Cuong, R. A. Singh, J. Kim, **S. Yang**, and E. S. Yoon, "Nano-scale tribological properties of silicon pillars with the variation in pitch," *STLE/ASME International Joint Tribology Conference 2008*, 2008.
- [38] **S. Yang**, S. Lee, K. Park, H. Jeon, Y. Huh, J. Cho, H. Sup Shin, and E. S. Yoon, "Piezo motor based Microdrive for Neural Signal Recording," in *Proc. 30th Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. (EMBC)*, 2008, pp. 3364-3367.
- [39] K. Na, J. Kim, **S. Yang**, Y. M. Yoon, and E. S. Yoon, "New finite element method modeling for contractile forces of cardiomyocytes on hybrid biopolymer microcantilevers," *2008 NSTI Nanotechnology Conference and Trade Show*, 2008.
- [40] E. S. Yoon, P. D. Cuong, R. A. Singh, J. Kim, **S. Yang**, M. Kwack, and Kahp Y. Suh, "Nano-patterning of poly (methyl-methacrylate) polymeric surface and effects of pitch on hydrophobicity and tribological properties," *Society of Tribologists and Lubrication Engineers 63rd Annual Meeting and Exhibition*, 2008.
- [41] E. S. Yoon, P. D. Cuong, R. A. Singh, J. Kim, and **S. Yang**, "Combined surface treatments to improve micro-tribological properties of silicon surfaces," *Society of Tribologists and Lubrication Engineers 63rd Annual Meeting and Exhibition*, 2008.
- [42] J. Kim, **S. Yang**, J. Baek, S. Park, H. C. Kim, E. S. Yoon, and K. Chun, "Cardiomyocytes self-powered polymer microrobot," *The 14th International Conference on Solid-State Sensors, Actuators and Microsystems*, 2007. PP. 1405-1408.

- **Domestic**  
**2022**

- [1] G. Hwang, Y. Yang, J. Lee, and S. Yang, "Deep learning-based nostril and swab detection algorithms for visual control of automatic COVID-19 nasopharyngeal swab sampling robot," *17th Korea Robotics Society Annual Conference (KRoC)*, 2022.
- [2] I. Choi, E. Kim, and S. Yang, "Handheld robot-aided imaging of probe-based confocal laser endomicroscopy," *17th Korea Robotics Society Annual Conference (KRoC)*, 2022.
- [3] J. Lee, Choi, I. and S. Yang, "Gravity compensated force sensor for minimally invasive surgery," *17th Korea Robotics Society Annual Conference (KRoC)*, 2022.
- [4] J. Lee, I. Choi, and S. Yang, "Human subject study on applied force during nasopharyngeal swab sampling," *KSME 2022 Bio Engineering Division Spring Conference*, 2022.
- [5] I. Choi, E. Kim, and S. Yang, "Autonomous Contact Force Control for Handheld Scanning of Probe-based Confocal Laser Endomicroscopy" *KSME 2022 Bio Engineering Division Spring Conference*, 2022.

**2021**

- [6] J. Lee and S. Yang, "Design and analysis of fiber bragg grating-based contact force sensor for probe-based confocal laser endomicroscopy," *2021 Annual Fall Conference of the Korean Society of Mechanical Engineers (KSME)*, 2021.
- [7] G. Hwang, J. Lee, and S. Yang, "Visual Control of Automated COVID-19 Swab Sampling Robot," *2021 Annual Fall Conference of the Korean Society of Mechanical Engineers (KSME)*, 2021.
- [8] E. Kim, T. Seo, and S. Yang, "Deep-learning based honeycomb pattern removal in fiber bundle imaging," *KSME 2021 Bio Engineering Division Spring Conference*, 2021.
- [9] C. Park, I. Choi, and S. Yang "Gravity compensation of handheld force-sensing instruments for covid-19 swab sampling," *KSME 2021 Bio Engineering Division Spring Conference*, 2021.
- [10] J. Lee, J. Kim, S. Park, D. Hwang, and S. Yang, "Biologically-inspired robot palm with dual-layered particle jamming," *KSME 2021 Bio Engineering Division Spring Conference*, 2021.
- [11] I. Choi, E. Kim, and S. Yang, "Active tremor cancellation of handheld microsurgical robots," *KSME 2021 Bio Engineering Division Spring Conference*, 2021. (**Awarded for Best Paper Award**).
- [12] G. Hwang and S. Yang, "Nostril detection algorithms for visual control of automatic covid-19 swab sampling robot systems," *KSME 2021 Bio Engineering Division Spring Conference*, 2021.

**2020**

- [13] I. Choi, J. Back, and **S. Yang**, "Waste Sorting Robot based on 5-DOF Mobile Manipulator," *15th Korea Robotics Society Annual Conference (KRoC)*, 2020. (**Awarded for Undergraduate Best Paper Award**)
- [14] J. Lee, W. Han, E. Kim, I. Choi, and **S. Yang**, "Development of Robotic Hand Palm with Stiffness Control," *15th Korea Robotics Society Annual Conference (KRoC)*, 2020.



- [15] J. Lee, W. Han, E. Kim, I. Choi, and **S. Yang**, “Handheld manipulator for active stabilization of probe-based confocal laser endomicroscopy,” *15<sup>th</sup> Korea Robotics Society Annual Conference (KRoC)*, 2020.
- [16] E. Kim, N. Choi, J. Jeong, N. Jang, M. Lee, D. Hwang, and S. Yang, “Real-time detection of peripheral nerve degeneration using a probe-based confocal laser endomicroscopy,” *KSME 2020 Bio Engineering Division Spring Conference*, 2020.

**2019**

- [17] I. Choi, J. Back, and S. Yang “Design and control of a waste sorting robot based on 5-DOF mobile manipulator,” *2019 Annual Fall Conference of the Korean Society of Mechanical Engineers (KSME)*, 2019.
- [18] E. Kim, I. Choi, and S. Yang, “Design and analysis of a handheld micromanipulator for robot-assisted microsurgery,” *2019 Annual Fall Conference of the Korean Society of Mechanical Engineers (KSME)*, 2019.
- [19] D. Yoon and S. Yang, “Outlier detection of FBG optical sensors for bio-medical applications,” *2019 Annual Fall Conference of the Korean Society of Mechanical Engineers (KSME)*, 2019.
- [20] N. Choi, E. –S. Yoon and S. Yang, “Multi-modal mechanical stimulation system for axonal injury model,” *2019 Annual Fall Conference of the Korean Society of Mechanical Engineers (KSME)*, 2019.
- [21] M. Jang, J. S. Kim, K. Kang, B. Kim, S. Um, J. Kim, and **S. Yang**, “Wearable arm motion tracking system using Fiber Bragg Grating Sensors in Real-Time,” *2019 Bio Engineering Division Spring Conference*, 2019.

**2016-2018**

- [22] M. Jang, J. S. Kim, K. Kang, J. Kim, and **S. Yang**, “Real-Time Motion Tracking System Using FBG Optical Fiber Sensors,” *2018 Bio Engineering Division Spring Conference*, 2018.
- [23] D. S. Kim, E. S. Yoon, and **S. Yang**, Design of 6-DOF Handheld Micromanipulator for Microsurgery, *KSME 2017 Bio Engineering Division Spring Conference*, 2017.
- [24] M. Jang, O. Kim., J. Kim, and S. Yang, “Real-Time Finger Motion Tracking System Using FBG Sensors, Annual Fall Conference of the Korean Society of Mechanical Engineers, 2016. (**Awarded for Best Paper Award**)

**2008-2009**

- [25] K. Park, **S. Yang**, J. Kim, T. Kim, and E. S. Yoon, “Effect of locomotive performance of microrobot by position based feedback control system in GI tracts,” *2009 Annual Fall Conference of the Korean Society of Mechanical Engineers*, 2009.
- [26] K. Na, T. H. Nguyen, S. M. Lee, **S. Yang**, J. Kim, and E. S. Yoon, “atomic force microscopic elasticity measurement of single-stranded DNA on chemically-modified surface,” *2009 Annual Fall Conference of the Korean Society of Mechanical Engineers*, 2009.
- [27] **S. Yang**, S. S. Lee, K. Park, K. Na, J. Kim, and E. S. Yoon, “Locomotion for Capsule Endoscopes,” *KSME 2009 Bio Engineering Division Spring Conference*, 2009.
- [28] **S. Yang**, S. Lee, K. Park, J. Cho, H. S. Shin, and E. S. Yoon, Microdrive for Neural Signal Recording in Behaving Mice, *KSME 2009 Bio Engineering Division Spring Conference*, 2009. (**Awarded for Best Paper Award**)
- [29] **S. Yang**, K. Park, J. Cho, and E. S. Yoon, “Development of motorized microdrive for neural signal recording,” *KSME 2008 Bio Engineering Division Spring Conference*, 2008. (**Awarded for Best Paper Award**)